

From: [Sarah Potter](#)
Bcc: [Anglian Water](#); [assetplans@eswater.co.uk](#); ["cellsnationalhelpdesk@O2.com"](#); ["emf.advisoryunit@vodafone.co.uk"](#); [ES Pipelines](#); [Interoute](#); ["joel.holloway@gtc-uk.co.uk"](#); [Openreach](#); [Openreach Ilford](#); ["osm.enquiries@atkinglobal.com"](#); ["plant.enquiries.team@virginmedia.co.uk"](#); [plantprotection \(plantprotection@cadentgas.com\)](#); ["plantresponses@espipelines.com"](#); [Thames Water](#); [Veolia](#); [Vodafone](#)
Subject: INFORMAL CONSULTATION - FOOTPATH 25 GREAT CLACTON, TENDRING DISTRICT
Date: 11 May 2023 11:05:00
Attachments: [image001.png](#)
[PROW-23-14.pdf](#)

**PLEASE NOTE THIS IS A CONSULTATION ON A PROPOSED FOOTPATH
EXTINGUISHMENT ONLY.
IT IS NOT AN ADVICE OF WORKS.**

Dear Sir/Madam,

Essex County Council would welcome your thoughts on the above extinguishment proposal. This is an informal consultation only and no Order has yet been made.

Please note this informal consultation is not a statutory requirement on the Highway Authority. Its aim is to enable the principal stakeholders to comment on the proposed changes; feedback which is then considered by the Highway Authority and provided to the applicant. It is not intended as a public consultation. The public are informed and invited to respond if they so wish at the formal, Made Order consultation stage via on-site notices and plans, and the newspaper advertisement for the order. To enable us to continue this discretionary service we would appreciate it if informal consultations are not shared with the public beyond any council meetings as no order has yet been made and public comments on the proposals are not at this stage being sought.

Highways Act 1980 Section 118A (inserted by the Transport and Works Act 1992) – for the stopping up of footpaths (bridleway or restricted byway) crossing railways. Essex County Council intend to make the following order:

To extinguish Footpath 25 Great Clacton in the District of Tendring under section 118A of the Highways Act as shown on the attached Plan. Network Rail, the infrastructure manager of the rail network, have applied under the above act to extinguish the footpath crossing the railway line at the 'Giles Level Crossing' on the grounds of safety. ECC as the Highway Authority having assessed the information provided in the application have agreed to process this application and propose to extinguish Footpath 25 Great Clacton to enable the crossing to be closed.

It is proposed to extinguish Footpath 25 Great Clacton as indicated on the attached plan.

If you have any comment to make please do so by 8 June.

Please be advised that if an order is made for this proposal then any representation to that order will need to be made (in writing) at the time of that order's public consultation. Prior responses to the informal process will not be considered as carried forward to the made order consultation

process.

Kind regards,

Sarah Potter | PROW & Records Analyst



SAFER GREENER HEALTHIER

T: [REDACTED]
E: [REDACTED]

[Chat with me on Teams](#)

W: www.essex.gov.uk/highways

From: [Sarah Potter](#)
Bcc: ["admin@acu.org.uk"](#); [Andy Reynolds](#); [BDS](#); [BHS \(accessorders@bhs.org.uk\)](#); [Byways & Bridleways Trust; consultations \(accessandrights.ofwaysconsultations@naturalengland.org.uk\)](#); [CTC \(campaigns@cyclinuk.org\)](#); [Environment Agency \(Enquiries_EastAnglia@environment-agency.gov.uk\)](#); [Essex LAF \(ELAF@Essexhighways.org\)](#); [Essex Landrover Club](#); [historicenvironment \(SEA@essex.gov.uk\)](#); [OSS central office \(office2@oss.org.uk\)](#); [Pathorders@ramblers.org.uk](#); [rightsofway \(rightsofway@os.uk\)](#); [s.a.crone@btinternet.com](#); [Sustrans](#); [TRF central](#); ["Watercourse Regulation"](#); [Nicky Coleman](#); [William Seward](#); [Cllr. Daniel Land](#); [bconnew@tendringdc.gov.uk](#); [planning.services@tendringdc.gov.uk](#); [lcharges@tendringdc.gov.uk](#); [ehaward@tendringdc.gov.uk](#)
Subject: INFORMAL CONSULTATION - FOOTPATH 25 GREAT CLACTON, TENDRING DISTRICT
Date: 11 May 2023 11:01:00
Attachments: [PROW-23-14.pdf](#)
[image001.png](#)

Dear Sir/Madam,

Essex County Council would welcome your thoughts on the above extinguishment proposal. This is an informal consultation only and no Order has yet been made.

Please note this informal consultation is not a statutory requirement on the Highway Authority. Its aim is to enable the principal stakeholders to comment on the proposed changes; feedback which is then considered by the Highway Authority and provided to the applicant. It is not intended as a public consultation. The public are informed and invited to respond if they so wish at the formal, Made Order consultation stage via on-site notices and plans, and the newspaper advertisement for the order.

To enable us to continue this discretionary service we would appreciate it if informal consultations are not shared with the public beyond any council meetings as no order has yet been made and public comments on the proposals are not at this stage being sought.

Highways Act 1980 Section 118A (inserted by the Transport and Works Act 1992) – for the stopping up of footpaths (bridleway or restricted byway) crossing railways.
Essex County Council intend to make the following order:

To extinguish Footpath 25 Great Clacton in the District of Tendring under section 118A of the Highways Act as shown on the attached Plan.
Network Rail, the infrastructure manager of the rail network, have applied under the above act to extinguish the footpath crossing the railway line at the 'Giles Level Crossing' on the grounds of safety.
ECC as the Highway Authority having assessed the information provided in the application have agreed to process this application and propose to extinguish Footpath 25 Great Clacton to enable the crossing to be closed.

It is proposed to extinguish Footpath 25 Great Clacton as indicated on the attached plan.

If you have any comment to make please do so by 8 June 2023.

*Please be advised that if an order is made for this proposal then any representation to that order will need to be made (in writing) at the time of that order's public consultation.
Prior responses to the informal process will not be considered as carried forward to the made order consultation process.*

Kind regards,

Sarah Potter | PROW & Records Analyst



T: 07720097095

E: sarah.potter@essexhighways.org

[Chat with me on Teams](#)

W: www.essex.gov.uk/highways



Planning Services
Town Hall
Station Road
Clacton on Sea
Essex CO15 1SE

Sarah Potter
Essex Highways

Please Ask For: [REDACTED]
Tel: (01255) 68 6158
Email: [REDACTED]

Our Ref: 23/00682/FOOT

11 July 2023


To Sarah,

YOUR REFERENCE:	Informal consultation
OUR REFERENCE:	23/00682/FOOT
ADDRESS:	Footpath at 25 Great Clacton,
PROPOSAL:	Informal consultation on an application for public path order for proposed extinguishment of footpath, crossing the railway line at Giles Level Crossing.

I refer to your consultation in respect of the above site. I can confirm that the Council has **no objection** to this proposal to extinguish Footpath 25 Great Clacton. It is understood that Network Rail wish to extinguish the footpath crossing the railway line at the 'Giles Level Crossing' on the grounds of safety and intend for the crossing here to be closed.

I hope this has been of assistance.

Yours faithfully



SENIOR PLANNING OFFICER
PLANNING SERVICES